

## Dakshata



## **Materials Required for Preparation of Skills Stations**

S.No.	Topics/Skill Stations as	Materials/Items Required	<b>Total Quantity</b>	Furniture
	per agenda			Required
1	Using Partograph	Large teaching Partograph	1	Classroom
		Case study on slide/flip chart	1	setting
		Partograph photocopy	5/participant	
		Case studies for Partograph	1 set/	
		exercise	participant	
		Set of pencil, eraser and	1 set/	
		sharpener	participant	
2	Conducting normal	Skill check lists for all the	Set of	1 wooden
	delivery (2nd stage of	mentioned tasks	checklists 1 per	table to keep
	labour) including active		participant	model and
	management of third	Model: Mama- Natalie and Neo	1	instruments
	stage of labor (AMTSL),	Natalie with hard skull cover,		with 2 chairs
	essential new born care	placenta with cord, blood		for facilitators
	(ENBC) and PPH	simulator, uterus, catheter,		
	management	long gloves.		
		Instruments:		
		SS Tray with lid containing the	1	
		following		
		Sponge holder	1	
		SS bowl with cotton swabs	1	
		Kidney Tray	1	
		Cord clamp	2	
		Scissors	1	
		Warm dry soft cotton towels at	2	
		least 1 mtr size each		
		Baby cap	1	
		Baby identification wrist band	1	
		Infection Prevention:		
		Disposable plastic Gown	1	
		Kelly's Pad	1	
		Sterile surgical gloves	10 pairs	
		Сар	10	
		Mask	10	
		Goggles	1	
		Plastic Apron	1	
		Shoe covers	10 pairs	
		Betadine bottle	1	
		Dust bin with yellow bag	1	1
		Plastic tub for 0.5% chlorine	1	
		solution		
		Medicines and supplies:	<u> </u>	
		Injection Oxytocin ampoule—5	2 ampoules	

		IU in 1cc		
		Tablets misoprostol	Tablets/1	-
		/Simulation	Gems packet)	
		Injection Vitamin K	1 ampoule	
		2cc syringe with needle for	1 each	
		oxytocin and 1cc		
		syringe/insulin syringe with		
		needle for vit. K		
		GOI's Posters on AMTSL,		
		management of PPH		
3	New born resuscitation	Skill check lists	1/participant	1 wooden
	(NBR)	Model: Neonatalie	1	table to keep
		Infection Prevention:		model and
		Caps	1	instruments
		Masks	1	with 2 chairs
		Sterile Surgical Gloves	1	for facilitators
		Plastic apron	1	
		Shoe covers	1	- 
		Instruments /Items:		-
		SS Tray with lid containing the	1	- 
		following		
		Baby cap	1	=
		Baby identification wrist band	1	
		Bowl with few cotton balls	1	
		Self-inflating Bag and Mask	1	
		Penguin Mucus Sucker	1	
		Stethoscope	1	=
		Scissor	1	
		Cord Clamp (Disposable)	1	
		Shoulder Roll	1	=
		NSSK NBR poster	1	
		Pictures of radiant warmer and	1	
		hand washing		
		Oxygen Cylinder (Simulation)	1	=
		with tubes*/picture of O <sub>2</sub>		
		cylinder		
		Watch with seconds arm	1	
		*The participants will be		
		informed regarding how to		
		open the cylinder and check for		
		O <sub>2</sub>		
4	Infection Prevention	PPE:		1 wooden
	practices	Caps		table to keep
		Masks		model and
		Disposable plastic gown		instruments
		Goggles		with 2 chairs

	Shoe covers		for facilitators
			TOT TACHILATORS
	•		
	•		
	-		
	-		
	**		
	Caps		
	Plastic apron		
	artery forceps		
	Disposal of sharps:		
	Scalpel blade		
	Disposable syringe with Needle		
	Glass ampoules		
	Glass medicine vials		
	Picture of Hub cutter		
	Picture of Puncture proof box		
	BMWM:		
	Colour coded bins		
	wastes		
Triaging:		(Set of	1 Table and
	·	checklists &	chair
a. Correct estimation of		job-aids on	
gestational age		abdominal	
b. Appropriate		palpation,	
assessment of		estimation of	
uterine contractions		gestational	
c. Localizing and		age, PV	
appropriate		examination-	
according of FUD		1/participant	1
	gestational age b. Appropriate assessment of uterine contractions c. Localizing and appropriate	Plastic apron Processing of used instruments: Sponge holding forceps and artery forceps  Disposal of sharps: Scalpel blade Disposable syringe with Needle Glass ampoules Glass medicine vials Picture of Hub cutter Picture of Puncture proof box  BMWM: Colour coded bins Pics of different types of wastes  Triaging:  Skill check lists and Gol posters  Triaging: Skill check lists and Gol posters  c. Localizing and	Sterile Surgical Gloves Plastic apron Hand Washing: Soap with dry dish Pic. Of tap with running water Alcohol based hand rub Antiseptics: Povidone lodine/ Chlorohexidine  0.5% Bleaching solution: 1 litre bottle with water Plastic mug Plastic tea spoons Bleaching powder Plastic tub (12 inches base)/buckets Utility gloves Caps Plastic apron Processing of used instruments: Sponge holding forceps and artery forceps Disposal of sharps: Scalpel blade Disposable syringe with Needle Glass ampoules Glass medicine vials Picture of Hub cutter Picture of Puncture proof box BMWM: Colour coded bins Pics of different types of wastes  Triaging: Skill check lists and Gol posters  Skill check lists and Gol posters  (Set of checklists & job-aids on abdominal palpation, estimation of gestational age, PV examination-

	d. Conducting PV	Model:	1	
	examination	Mama- Natalie and Neo Natalie	1	
	CXAIIIIIACIOII	with hard skull cover, placenta		
		with cord, blood simulator,		
		uterus		
		Examination tray:		-
		SS Tray	1	
		Bowl with cotton swabs	1	
			1	
		Sponge holder	1	-
		Sterile gloves	1	-
		Antiseptic solution bottle		
		Measuring tape	1	
		Stethoscope/foetoscope	1	
		Uristix bottle	1	
		Blood and urine collection vials		
		and spirit swabs		-
		RDK (to be kept in refrigerator)		-
		BP apparatus	1	-
		Thermometer	1	
		Knee hammer	1	
		MCP cards		
		Infection prevention:	T	
		Yellow colour coded bin/bag	1	
		Tub with 0.5% chlorine solution	1	
6	BP measurement	Android BP apparatus	1	1 Table and
		Stethoscope	1	chair
		Checklist on BP measurement	1 per	
			participant	
		Poster on BP measurement	1	
7	Hb estimation by Sahli's	Complete Sahli's	1	1 Table
	method	haemoglobinometer-Kit		
		Lancets	1	
		Alcohol swabs		
		Cotton		
		Bowl/kidney tray	1	
		Yellow colour coded bin	1	
		Tub with 0.5% chlorine solution	1	
		Puncture proof box	1	
		Poster on Hb estimation with	1	
		steps		
		Checklist on Hb estimation	1 per	
			participant	
8	Urine protein estimation	Urine sample in a container or		1 Table
	by Uristix	water with protein powder or		
		sugar mixture in containers		
l		Uristix bottle	1	1

		Checklist for urine protein and	1 per	
		sugar checkup	participant	
9	КМС	KMC pouch	1	1 Chair
		Preeminatalie	1	
		Checklist on KMC	1 per	
			participant	
		Breast model	1	
10	Breastfeeding	Breast model	1	1 Chair
		Neonatalie	1	]
		Checklist on breastfeeding	1 per	
			participant	
		GoI poster on breastfeeding	1	
11	Insertion of OG tube for	Preeminatalie	1	1 Table
	assisted feeding	OG tube	1	
		Syringe 10 cc	1	
		White coloured water	1	
		Checklist on insertion of OG	1 per	
		tube	participant	
12	PPFP counselling	PPFP counselling kit	1	1 Table and 3
		PPFP counselling flip book	1	chairs
		Loose samples in a tray		
		PPFP counselling checklist	1 per	
			participant	
		Job aids on timing of initiation,	1 set	
		effectiveness chart and ANC		
		counselling guide		
		Register	1	
		Note pad and pen	1 each	<u> </u>
13	Blood loss estimation	Containers	4	1 Table
		Red coloured fluid		
		Gauze pieces		
		Sanitary napkin/perineal pad	1	
		Jam bottle/tomato catch up	1 approx. 500	
			gms	
		Labels A,B,C,D	4	
		Note pad and pen	1	
14	Condom tamponade	SS tray with lid	1	1 Table
		Sims speculum	1	
		SS bowl with swabs	1	
		Sponge holders	2	
		Suture material	1	
		Scissors	1	_
		Foley's catheter (16 no.)	1	
		Condoms	5	
		IV set	1	
		500 mL NS	1	

		PPE	
15	Severe Pre-eclampsia/ Eclampsia Management Kit	Mouth gag	1
		Suction catheter	1
		IV cannula, IV set, RL	1
		Antihypertensive drugs (Tab and Inj. Labetalol, Tab. Nifedipine)	
		Inj. Magnesium Sulfate (1 ampoule = 1 gm)	At least 20 ampoules
		Syringes: 20 mL, 10 mL, 5 mL	5 each
		2% xylocaine (for LA)	1 vial
		Alcohol/ spirit swabs	
		Adhesive tape	1
		Self-retaining catheter	1
		Urobag	1
		Blood and urine collection vials	
		Dry cotton swabs	
		Antiseptic solution	1 bottle
		Sterile gloves	
		Inj. Calcium Gluconate	1 ampoule
		Knee hammer	1
		*Ensure availability of	
		functional oxygen source with	
		attachments, functional suction	
		machine and functional BP	
		apparatus and stethoscope.	
16	PPH Management Kit	Wide bore IV cannula (No. 16/18)	At least 2
		IV set, IV fluids (NS, RL)	
		Syringes (10 mL, 5 mL, 2 mL)	
		Blood and urine collection vials	
		Inj. Oxytocin (to be kept in	Minimum 6
		refrigerator)	ampoules
		Tab. Misoprostol	4 tabs (200 microgram each)
		Inj. Methylergometrine	Cuciij
		Inj. Carboprost (to be kept in	
		refrigerator)	
		Alcohol/ spirit swabs	
		Adhesive tape	1
		Self-retaining catheter	1
		Urobag	1
		Dry cotton swabs	

Antiseptic solution	1	
Long elbow-length gloves	At least 1 pair	
(sterile)		
Sterile gloves		
Material needed for Condom		
Tamponade (as mentioned		
above in preparation of station		
no. 14		
Suture material		
*Ensure availability of		
functional oxygen source with		
attachments, functional suction		
machine and functional BP		
apparatus and stethoscope.		